

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	530	(data near2 synchroniz\$5) same (sampl\$3 near6 ((incomming or input or received) near3 (data or information))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:18
L2	277	(data near2 synchroniz\$5) with (sampl\$3 near6 ((incomming or input or received) near3 (data or information))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:25
L3	29	1 same ((first or second or third or forth or plurality or multiple or more or many) near2 sampl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:18
L4	12	2 with ((first or second or third or forth or plurality or multiple or more or many) near2 sampl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:26
L5	6	3 same (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L6	1	4 with (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:30
L7	1	5 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L8	0	6 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:30
L9	5	1 same ((first or second or third or forth or plurality or multiple or more or many) near2 (register\$1 or buffer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:21

EAST Search History

L10	2	2 with ((first or second or third or forth or plurality or multiple or more or many) near2 (register\$1 or buffer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:33
L11	0	9 same (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22
L12	0	10 with (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:35
L13	48	1 same (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:35
L14	16	2 with (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:35
L15	105	1 same ((clock or data) near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:23
L16	30	2 with ((clock or data) near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:36
L17	0	15 same (((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 sampl\$3) near6 ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:23
L18	0	16 with (((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 sampl\$3) near6 ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:51

EAST Search History

L19	3099	((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1) same ((incomming or input or received) near3 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:33
L20	1228	((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1) with ((incomming or input or received) near3 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:52
L21	17	19 same ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:52
L22	3	20 with ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:53
L23	0	21 same (sampl\$3 near6 ((incomming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:25
L24	0	22 with (sampl\$3 near6 ((incomming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:54
L25	0	21 same ((first or second or third or forth or plurality or multiple or more or many) near5 (clock near2 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:55
L26	0	22 with ((first or second or third or forth or plurality or multiple or more or many) near5 (clock near2 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:55
L27	2	(CLAVEQUIN adj JEAN adj PAUL).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:56
L28	15	(COUTEAUX adj PASCAL).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:56

EAST Search History

L29	5	(DIEHL adj PHILIPPE).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:56
L30	8	3.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:58
L31	0	(27 or 28 or 29) and 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:58
L32	58	2.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:58
L33	1	(27 or 28 or 29) and 32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:00
L34	11	13.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:00
L35	1	(27 or 28 or 29) and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:02
L36	0	1 same (((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 sampl\$3) near6 ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:01
L37	3	(((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 sampl\$3) near6 ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:03

EAST Search History

L38	0	(27 or 28 or 29) and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:02
L39	628	(data near2 synchroniz\$5) same (sampl\$3 near6 ((incoming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:18
L40	330	(data near2 synchroniz\$5) with (sampl\$3 near6 ((incoming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:18
L41	36	39 same ((first or second or third or fourth or plurality or multiple or more or many) near2 sampl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L42	12	40 with ((first or second or third or fourth or plurality or multiple or more or many) near2 sampl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L43	8	41 same (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L44	1	42 with (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:19
L45	1	43 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:20
L46	0	44 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:20
L47	0	43 and 713/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22

EAST Search History

L48	0	43 and 713/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:21
L49	6	39 same ((first or second or third or fourth or plurality or multiple or more or many) near2 (register\$1 or buffer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22
L50	3	40 with ((first or second or third or fourth or plurality or multiple or more or many) near2 (register\$1 or buffer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22
L51	0	49 and 713/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:24
L52	0	49 and 713/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22
L53	0	49 same (clock near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:22
L54	123	39 same ((clock or data) near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:23
L55	34	40 with ((clock or data) near3 (edge\$1 or transition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:23
L56	0	54 same (((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 sampl\$3) near6 ((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:23

EAST Search History

L57	0	21 same (sampl\$3 near6 ((incoming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:26
L58	0	22 with (sampl\$3 near6 ((incoming or input or received) near3 (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:26
INTERFERENCE SEARCH						
L59	1	((data near2 synchroniz\$5) and (sampl\$3 near3 ((incoming or input or received) near2 (data or information))) and ((first or second or third or fourth or plurality or multiple) near2 (register\$1 or buffer\$1)) and (delay\$3 near3 ((incoming or input or received) near2 (data or information))) and ((active or inactive) near2 (edge\$1 or transition\$1))).clm.	US-PGPUB	OR	OFF	2007/04/03 12:27
L60	2	((data near2 synchroniz\$5) and (sampl\$3 near3 ((incoming or input or received) near2 (data or information))) and ((first or second or third or fourth) near2 sampl\$3) and (delay\$3 near3 ((incoming or input or received) near2 (data or information))) and ((active or inactive) near2 (edge\$1 or transition\$1))).clm.	US-PGPUB	OR	OFF	2007/04/03 12:30
L61	1	((data near2 synchroniz\$5) and (sampl\$3 near3 ((incoming or input or received) near2 (data or information))) and ((first or second or third or fourth) near2 sampl\$3) and (delay\$3 near3 ((incoming or input or received) near2 (data or information))) and ((active or inactive) near2 (edge\$1 or transition\$1)) and (previous or prior)).clm.	US-PGPUB	OR	OFF	2007/04/03 12:30
L62	1	((data near2 synchroniz\$5) and (sampl\$3 near3 ((incoming or input or received) near2 (data or information))) and ((active or inactive) near2 (edge\$1 or transition\$1)) and ((sequential\$2 or (in adj sequence) or successive\$2 or (in adj succession) or consecutive\$2) near2 (sampl\$3 or decision\$1))).clm.	US-PGPUB	OR	OFF	2007/04/03 12:32

EAST Search History

L63	1	((((increas\$3 or decreas\$3 or adjust\$5 or chang\$3 or modif\$7 or vary\$3) near2 delay\$1) and ((incomming or input or received) near3 (data or information)) and ((first or second or third or forth or plurality or multiple or more or many) near5 (clock near2 (cycle\$1 or transition\$1)))) and (delay\$3 near3 ((incoming or input or received) near2 (data or information)))) and (active or inactive)).clm.	US-PGPUB	OR	OFF	2007/04/03 12:53
-----	---	---	----------	----	-----	------------------